



Cross Line Laser red 862 ART. 10468100

PROLASER®

Cross Line Laser green 862G ART. 10468200









































CROSS LINE LASER

Indoor cross-line laser. **Includes:** Soft carry case, batteries and a "Velcro" strip.

Perfect for:

- Tiling
- Laying cabinets
- Hanging curtains
- DIY projects and decorative work

- · Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: RED: 0.2mm/m (0.0002"/")
 GREEN: 0.4mm/m (0.0004"/")
- Self-leveling range ±3°
- · Manual mode for angular layout/tilted marking
- · Visual "out of level" warning
- Tripod ready: 1/4" thread
- V-groove
- · Rare-earth magnets
- "Velcro" strip slant
- · Hanging hole

PROLASER®

*IP65 Cross Line Laser VHX red 870 VIP*ART. 10468120

PROLASER®

IP65 Cross Line Laser VHX green 870G VIP ART. 10468220

























































IP65 VHX PROLASER® VIP

The Indoor/Outdoor Shielded Cross Line Laser. Includes: Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841), 3 AA batteries and a soft carry bag.

Perfect for:

- · Aligning tiles, cabinets, borders, moldings and trims
- Deck installation and exterior layout
- Door and window installation

- Vertical, horizontal and cross beams at 90°
- Indoor laser range 30m (100')
- Outdoor laser range: RED: 50m (165') with detector GREEN: 60m (200') with detector
- Accuracy: 0.2mm/m (0,0002"/")
- Self-leveling range: ±3°
- · Manual mode for angular layout/marking
- · Audio and visual "out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- Protective rubber over molded casing
- 1/4" tripod thread



Cross Line Laser Vector red 873
ART. 10468110

PROLASER®

Cross Line Laser Vector green 873G ART. 10468210









































PROLASER® VECTOR

Includes: Soft pouch and 3AA batteries.

Perfect for:

- Acoustic ceiling and Drywall installations
- Aligning and framing doors and windows
- Leveling of electrical outlets, plumbing and studs
- · Hanging cabinets and decks construction
- Leveling slopes, roofs and more

- 3 Laser beams, including: 1 Horizontal and 2 Vertical with a 90° intersection
- Indoor laser range: 30m (100')
- Outdoor laser range: RED: 50m (165') with detector GREEN: 60m (200') with detector
- Accuracy: ±0.2mm/m (0.0002"/")
- Self–leveling range: ±3°
- · Manual mode for angular layout/tilted marking
- · Visual and audible "out of level" warning
- · Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread




Red/ green beamfinder glasses
ART. 10468512 - Red // ART. 10468522 - Green

LASER TARGET

Red/green laser target ART. 10468514 - Red // ART. 10468524 - Green





















BEAMFINDER™ GLASSES

Enhances visibility of red or green laser beams. Adjustable and with holes to attach a glasses chain.

RED OR GREEN LASER TARGET

Magnetic red or green laser target with a special reflective surface. With graduated target (in/cm)

- Magnetic
- Special reflective surface
- Graduated target (in/cm)

BEAM DETECTOR

Red/ green laser beam detector
ART. 10468516 - Red // ART. 10468526 - Green

MAGNETIC MOUNT

ART. 10468545

















LASER BEAM DETECTOR

Includes: Soft pouch and 3AA batteries.

Perfect for:

- Acoustic ceiling and Drywall installations
- Aligning and framing doors and windows
- Leveling of electrical outlets, plumbing and studs
- Hanging cabinets and decks construction
- · Leveling slopes, roofs and more

FEATURES

- · Bright, easy to see indicator lights
- Visible and audible indicator signs
- Automatic shutdown
- Precision: High accuracy ± 1.5mm
 Low accuracy ± 2.5mm
- Low voltage alarm
- Easy to operate
- Power source: Laminated 9V battery

UNIVERSAL MAGNETIC WALL MOUNT

Universal magnetic wall mount with 2 strong Rare-earth magnets. 2 hanging holes and an opening slip for strip fastening.

- 2 strong Rare-earth magnets
- 2 hanging holes
- · Opening slip for strip fastening
- 1/4" top thread
- 1/8" and 1/4" base thread
- Anti-slip padding

LASER ACCESSORIES



For laser level ART. 10468550



For laser level ART. 10468555



With tripod ART. 10468560



FEATURES

Lightweight tripod with vial

Up to 1.2 meters







FEATURES

- Professional Tripod for Laser Levels, with scale and vial
- Up to 2.32 meters





- Telescoping pole with locking sections
- Maximum height 3.2 meters (10.5')
- Strong lightweight tripod stand with surface level
- Adjustable laser mount with 5/8" UNC thread

NOTES



